



We don't stop at barriers

Skipper™ 12 Wolfe Close,  
Parkgate Industrial Estate, Knutsford,  
Cheshire, United Kingdom. WA16 8XJ

Web: [www.skipper.co.uk](http://www.skipper.co.uk)

Tel: +44 (0) 844 412 7757

Fax: +44 (0) 844 412 7758

Email: [sales@skipper.co.uk](mailto:sales@skipper.co.uk)

**Skipper™**  
The total safety management solution

**Skipper™**  
The total safety management solution



## We're setting the boundaries in safety management

Skipper's multifunctional, multi-surface range of patent protected products have been designed from the ground up for health and safety.

The integrated solutions are recognised worldwide as the industry standard in safety management, and there's no surface they can't attach to.

The full suite of versatile products encompasses solutions for outside, inside and waste & safety management. Skipper's wide range of accessories also allow you to wrap around pillars, attach to magnetic surfaces, screw to walls, clamp to racking and suction to high gloss and glass surfaces.

No other product on the market offers the same level of value and versatility.

Using Skipper reduces risk, increases operational efficiencies and allows businesses to be health and safety compliant – it really is the total safety management solution.

**Skipper™**





## Skipper. The professional's safety product of choice



Soft-touch locking button prevents tape from spooling out in windy conditions.



Skipper is the key to a complete barrier system. As well as attaching to Skipper's own cones and posts, you can attach the durable, 9m (30ft) retractable Skipper unit to almost any standard traffic cone worldwide.

The high specification materials, including fabric tape and soft-touch areas for improved grip, make the Skipper unit highly robust and dependable. The versatile and adaptable unit is used across a wide range of industries, from construction to airports and shipping, to events, retail, facilities management and so many more.

Skipper is the original, market leading solution, and the choice of health and safety professionals across the world.



COLOUR OPTIONS: orange, green, red, blue, silver, yellow



TAPE OPTIONS: red & white, black & yellow, green & white, blue & white, black & yellow 'CAUTION', red & white 'DANGER'



Skipper unit			
Height 240mm 9.4"	Width 145mm 5.7"	Depth 145mm 5.7"	Weight 795g 28oz





## A post & base system for the future

The Skipper post and base system is the perfect complement to the Skipper unit. Its sleek, professional design looks sublime in any environment, both indoors and outdoors.

Sold as a two-part system for improved transport and storage, the base can simply be filled with water or sand for improved strength and stability, then the post is twist-locked into position.

The Skipper unit or post & base cap attach to the top of the post with a secure, snap fit.

The modular waste management range can also be attached to the post via the post & base collar, making it one of the most versatile products in the Skipper range.



COLOUR OPTIONS: orange, green, red, blue, silver, yellow



Skipper post & base system			
Height	Width	Depth	Weight
1000mm 39.4"	500mm 19.7"	500mm 19.7"	2.3kg 5.1lbs



## The post & base cap

When a barrier solution is not needed, this cap can give the post a more complete look and also provide an alternate aesthetic. Simply affix the Skipper A4 sign holder to the top to provide an effective signage system. Also can be used with the Skipper road cone.



COLOUR OPTIONS: orange, green, red, blue, silver, yellow

Skipper post & base cap			
Height	Width	Depth	Weight
150mm 5.9"	90mm 3.5"	90mm 3.5"	205g 7.2oz






## The Skipper road cone. Revolutionary thinking



The Skipper road cone is a unique two-piece cone that outperforms its competitors in all areas. Its patent protected design features an incorporated helix, which deflects wind away and adds to the cone's stability. The base is designed to facilitate an optional weight ring, providing even more ballast and reducing the need to double stack.

The innovative glass bead sleeve has greater reflectivity than prismatic alternatives and is robust and durable, like the whole Skipper range. With a huge spectrum of applications, from airports and traffic control, to industrial and construction operations, the Skipper road cone is creating a revolution worldwide.



The Skipper road cone's helix design greatly improves on wind deflection compared to standard road cones, meaning greater stability in challenging environments.



The Skipper cone's light reflectivity is twice as strong as a standard cone.

Skipper road cone			
Height	Width	Depth	Weight
750mm	555mm	555mm	5.4kg
29.5"	21.9"	21.9"	12lbs



For extra stability attach the optional weight ring to the base of the cone.





## Skipper wall and magnetic support brackets

The Skipper wall & magnetic support brackets are hugely practical accessories for the Skipper unit, and are ideal for situations where using a cone or post is not appropriate.

The bracket is available in two versions; a wall version which can be screwed into place for permanent/semi-permanent use, and a non-marking magnetic version which can be attached to vehicles, shelving and other metal surfaces. Once the bracket is in the desired position, the Skipper unit snap-fits onto the bracket and locks into place.

The quick release clip prevents the Skipper unit from detaching from the bracket, and is also used to quickly disconnect the unit after use. The support brackets are ideal for logistics, warehousing and facilities management.



Skipper wall/magnetic support brackets			
Height	Width	Depth	Weight
168mm	124mm	133mm	170/275g
6.6"	4.9"	5.2"	6/9.7oz



## Skipper wall and magnetic receiver clips

The receiver clips act as an end-point for Skipper retractable barriers, and can also be used to support the Skipper waste & safety management accessories. As with the support brackets, the receiver clips are available in both magnetic and non-magnetic variants. Both versions of the receiver clip are fitted with non-marking rubber pads which prevent scratches and damage to surfaces. Simply pull out the tape from any Skipper or Skipper XS unit and slide it into the receiver clip. This will end the barrier without using additional Skipper units, cones or posts.

Waste and safety management products such as recycle bins, safety dispensers and sanitiser brackets can be attached directly to the receiver clip.



Skipper wall/magnetic receiver clips			
Height	Width	Depth	Weight
100mm	80mm	23mm	45/60g
3.9"	3.1"	0.9"	1.6/2.1oz





## The Skipper rechargeable safety light

This safety light is a multifunctional, LED system that attaches to Skipper and Skipper XS units. It's ideal for traffic control, airports, petrochemicals and many other industries. The unit has a light sensor for automatic activation/deactivation, or can be set to full manual control. The bright LEDs can be switched between a flashing or permanent setting, and the unit has an integrated rechargeable battery compartment which is powered by a standard adapter. Simply twist off the Skipper or Skipper XS unit's top cap, and twist on the rechargeable safety light. Conforms to BS3143 part 2 1990.



Skipper rechargeable safety light			
Height	Width	Depth	Weight
122mm	140mm	140mm	360g
4.8"	5.5"	5.5"	12.7oz



## The Skipper A4 sign holder. Direct and to the point

This A4 sign holder is designed for use with both Skipper and Skipper XS units. Its functional design makes it a great complement to the Skipper product range, allowing you to easily display warnings, promotional messages and directions. Simply insert your A4 message into the polycarbonate sleeve, and slide into the robust u-shaped frame. Twist off the Skipper or Skipper XS unit's top cap and twist the sign holder into position.



Skipper A4 sign holder			
Height	Width	Depth	Weight
348mm	266mm	28mm	480g
13.7"	10.5"	1.1"	16.9oz





## The Skipper XS unit. Keeping internal environments safe

The Skipper XS range of products were developed to adapt Skipper's great versatility to indoor environments such as in warehousing, manufacturing and facilities management. The unique XS range allows for connection to any indoor surface, from high gloss and glass, to worktops, shelving, door frames and pillars, making anything possible.

The Skipper XS unit has the full 9 metres (30ft) of high-specification fabric tape that's made Skipper the market leader in retractable barriers.

Its three connector points allow it to interface from various angles with its accessories, each of which can hold the XS unit in place and receive its tape end clip, making the range hugely versatile and adaptable to indoor environments.



TAPE OPTIONS: red & white, black & yellow, green & white, blue & white, black & yellow 'CAUTION', red & white 'DANGER'



Skipper XS unit			
Height 126mm 5.0"	Width 145mm 5.7"	Depth 145mm 5.7"	Weight 700g 24.7oz





## The Skipper clamp holder/receiver



The clamp holder/receiver is used to attach the Skipper XS unit and/or tape end to angular surfaces such as door frames, work surfaces and racking. Simply position the clamp in place and turn the screw to tighten.

The clamp holder/receiver can be positioned either horizontally or vertically depending on the desired application.

Skipper clamp holder/receiver			
Height	Width	Depth	Weight
223mm	140mm	103mm	205g
8.8"	5.5"	4.1"	7.2oz



## Skipper curved and magnetic cord strap clips

The cord strap clips utilise a robust bungee cord to tourniquet to structures such as pillars, trees and scaffolding. The clip is available in two variants; a non-marking magnetic version which is designed to attach to angular surfaces, and a curved version to fit securely to poles and cylindrical surfaces.

The cord strap clips are highly practical for indoor and warehouse environments, where they easily connect to shelving and pillars to both hold the Skipper XS unit and receive its tape end clip.



Skipper cord strap clip (magnetic)			
Height	Width	Depth	Weight
105mm	131mm	19mm	100g
4.1"	5.2"	0.7"	3.5oz

Skipper cord strap clip (curved)			
Height	Width	Depth	Weight
105mm	131mm	40mm	85g
4.1"	5.2"	1.6"	3oz



## The suction pad holder/receiver



The suction pad holder/receiver is designed for use with the Skipper XS unit and can both hold the unit in place and receive its tape end clip. It can also be used as a receiver clip for the standard Skipper unit, and as a support for the Skipper recycle bins and safety dispensers.

Simply position the suction pad onto a glass or high gloss surface and pull down the arm for an extremely strong connection.

Skipper suction pad holder/receiver			
Height	Width	Depth	Weight
45mm	78mm	117mm	65g
1.8"	3.1"	4.6"	2.3oz



● ●  
COLOUR OPTIONS: orange & black, all black



## A modular waste and safety management solution



The Skipper range of patent protected waste & safety management products provide a flexible and effective solution, with a wealth of fixing and display options. Being compatible with the existing range of Skipper and Skipper XS products makes the waste & safety management range intuitive for people already familiar with Skipper, as well as newcomers.

The waste management range, like all Skipper products, is designed to be fully modular. The recycle bins, dispensers and sanitiser brackets can be used in a variety of different applications, from a free standing station to direct attachment to walls, glass and posts.

They're ideally suited to a wide range of industries, from construction to facilities management, retail, warehousing and many more.





## The Skipper recycle bin. Modular waste management

The Skipper recycle bin is a robust and durable attachment for multi-purpose waste and recycling use. Up to two recycle bins can attach to the Skipper post & base system via its collar to create a fully free-standing safety & recycling station.

The bins can also be attached to walls, magnetic surfaces, glass and high gloss surfaces, trees, posts and many more via the Skipper wall & magnetic receiver clips, suction pad holder/receivers and cord strap clips. Each recycle bin is supplied with a selection of stickers to designate recycling type, and as with the Skipper unit and Skipper post & base system, the recycle bin lid is available in a choice of colours to suit your organisation or recycling contents.



Skipper recycle bin			
Height	Width	Depth	Weight
194mm	339mm	376mm	1.1kg
7.6"	13.3"	14.8"	39.2oz



## The Skipper safety dispenser. Connected to safety

The safety dispenser provides easy access to safety equipment such as ear plugs, protective eyewear and hair nets, and can also act as a safe container for battery disposal. Like the recycle bin, up to two dispensers can attach to the Skipper post & base system via its collar.

As part of the modular waste and safety management system, the dispenser can also be screwed to walls, attached to magnetic surfaces, suctioned to glass and high gloss surfaces, tied to pillars and much more. The safety dispenser's lid is also available in the standard range of Skipper colours.



Skipper safety dispenser			
Height	Width	Depth	Weight
255mm	230mm	263mm	740g
10"	9.1"	10.4"	26.1oz





## Skipper post & base collar

The Post & base collar attaches firmly to the post by simply sliding over the top and seating into position. It provides a strong platform for attaching the Skipper recycle bins, safety dispensers and sanitiser brackets; turning the Skipper post & base system into a fully equipped, free-standing safety & recycling station.

After the post & base collar is attached, the Skipper unit can snap-fit to the post as usual, providing a unique combination of a 9m (30ft) barrier and recycling point. A sign holder can also be attached to either the Skipper unit or the post & base cap to display your messages.

## Skipper suction pad support bracket

Affixing the Skipper recycle bins and safety dispensers to high gloss and glass surfaces is easily achieved via the Skipper suction pad bracket and suction pad. The bracket provides the required additional strength to support either a full recycle bin or safety dispenser, without damaging either the suction pad or the chosen surface.

Simply attach the Skipper suction pad to the desired surface, then slide on the suction pad support bracket. The Skipper recycle bins or safety dispensers then slide into the support bracket. The bracket is not required for lighter items such as the hand sanitiser bracket.



Skipper post & base collar			
Height	Width	Depth	Weight
185mm	191mm	131mm	415g
7.3"	7.5"	5.2"	14.6oz



● ●  
COLOUR OPTIONS FOR SUCTION PAD: orange & black, all black

Skipper suction pad support bracket			
Height	Width	Depth	Weight
180mm	160mm	62mm	190g
7.1"	6.3"	2.4"	6.7oz





## Skipper sanitiser bracket. A clear benefit to clean environments



The hand sanitiser bracket holds standard pump dispensers up to a diameter of 75mm. The bracket is designed for areas where sun screens, sanitisers and other gels and creams are required, such as construction sites, hygienic environments and kitchens.

Via the modular Skipper connector slot, the sanitiser bracket can attach easily and securely to other Skipper products including the cord strap clip, suction pad, post & base collar and wall clip - as well as the Skipper unit itself.



Skipper sanitiser bracket			
Height	Width	Depth	Weight
109mm	80mm	90mm	60g
4.3"	3.1"	3.5"	2.1oz



## Skipper curved and magnetic cord strap clips



The Skipper curved and magnetic support brackets are part of the Skipper XS range, but are also highly practical when used in conjunction with the Skipper waste & safety management range.

As the bungee cord offers a very strong connection with its tourniquet, the recycle bins and safety dispensers can be attached directly to the clip. This creates a hugely versatile platform for connecting to structures such as scaffolding, trees, shelving and pillars.

Skipper cord strap clip (magnetic)			
Height	Width	Depth	Weight
105mm	131mm	19mm	100g
4.1"	5.2"	0.7"	3.5oz

Skipper cord strap clip (curved)			
Height	Width	Depth	Weight
105mm	131mm	40mm	85g
4.1"	5.2"	1.6"	3oz



## Skipper products for outdoors



**The Skipper unit**  
PRODUCT CODE: SKIPPER01.



**Post & base system**  
PRODUCT CODE: POST01 (POST),  
POST02 (BASE)



**Skipper road cone**  
PRODUCT CODE: CONE01



**Skipper A4 sign holder**  
PRODUCT CODE: SIGN01



**Rechargeable safety light**  
PRODUCT CODE: LIGHT01



**Skipper wall & magnetic receiver clips**  
PRODUCT CODE: W/RECEIVER01  
(WALL VERSION), M/RECEIVER01  
(MAGNETIC VERSION)



**Skipper wall & magnetic support brackets**  
PRODUCT CODE: W/SUPPORT01  
(WALL VERSION), M/SUPPORT01  
(MAGNETIC VERSION)

## Skipper products for indoors



**The Skipper XS unit**  
PRODUCT CODE: XS01.



**Clamp holder/receiver**  
PRODUCT CODE: CLAMP01



**Suction pad holder/receiver**  
PRODUCT CODE: PAD01



**Magnetic cord strap holder/receiver**  
PRODUCT CODE: CORD01



**Curved cord strap holder/receiver**  
PRODUCT CODE: CORD02

## Skipper products for waste & safety management



**Skipper recycle bin**  
PRODUCT CODE: BIN01.



**Skipper safety dispenser**  
PRODUCT CODE: DISP01



**Suction pad support bracket**  
PRODUCT CODE: P/SUPPORT01



**Post & base collar**  
PRODUCT CODE: POST04



**Sanitiser bracket**  
PRODUCT CODE: SAN01



**Post & base cap**  
PRODUCT CODE: POST05

**Skipper™**  
The total safety management solution